

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the

preparation

C8773 Series

Use of the preparation Inkjet printing

Manufacturer information Hewlett-Packard Company 1000 NE Circle Boulevard

Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199

General information telephone number

 HP Customer Care Line
 1-800-474-6836

 (Toll-free)
 1-800-474-6836

 (Direct)
 1-208-323-2551

 Date prepared
 Aug 17, 2005

MSDS number 65887

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight	
Water	7732-18-5	> 70	
2-pyrrolidone	616-45-5	< 7.5	
Ethyl alkyldiol	Proprietary	< 7.5	
Tetraethylene glycol	112-60-7	< 7.5	
Substituted naphthalenesulfonate salt #13	Proprietary	< 5	
Alkyldiol ethoxylate	Proprietary	< 2.5	

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

3. HAZARDS IDENTIFICATION

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effectsAny potential hazards are presumed to be due to exposure to the components.

Skin contact

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation. Substituted napthalenesulfonate salt #13 Contact with skin may result in irritation.

Tetraethylene glycol

Contact with skin may result in irritation.

Material name C8773 SERIES Creation date Sep 29, 2003

Eye contact

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation. Substituted napthalenesulfonate salt #13 Contact with eyes may result in irritation.

Tetraethylene glycol

Contact with eyes may cause irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation. Substituted napthalenesulfonate salt #13 Inhalation may result in respiratory irritation.

Tetraethylene glycol

Inhalation may result in respiratory irritation.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

4. FIRST AID MEASURES

First aid procedures

Skin Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for Eye

at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. FIRE FIGHTING MEASURES

> 93.3 °C (> 200 °F); Pensky-Martens Closed Cup Flash point and method

Hazardous combustion

products

Refer to section 10.

Extinguishing media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Material name C8773 SERIES MSDS US Creation date Sep 29, 2003

Version number 1 2/5



Unusual fire and explosion

hazard

None known.

Special firefighting procedures

None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Procedures if material is

released or spilled

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Keep out of the reach of children. Keep away from excessive heat or cold. **Storage**

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

None established. **Exposure limit values**

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye. Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Exposure guidelines Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

6.88 - 7.61pН

Vapor pressure Not determined Not determined **Boiling point** Solubility Soluble in water

Specific gravity 1 - 1.2 **VOC** content < 3 %

> 93.3 °C (> 200 °F) Flash point

Viscosity > 2 cp

Vapor density > 1 (air = 1.0)Not determined **Evaporation rate** Not determined **Flammability Oxidizing properties** Not determined

Yellow Color

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability Stable under recommended storage conditions.

Hazardous polymerization Will not occur.

Hazardous decomposition

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

products

Incompatibility Incompatible with strong bases and oxidizing agents.

Material name C8773 SERIES MSDS US Creation date Sep 29, 2003 Version number 1 3/5

11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects.

Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity LC50/96h/Fathead minnows => 750 mg/L

> Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

> HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if

this service is available in your location, please visit http://www.hp.com/recycle.

14. TRANSPORTATION INFORMATION

Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID. General

IATA

Not applicable Proper shipping name **Hazard class** Not applicable

Special precautions None Packaging exceptions None Identification number (UN) None Packing group N/A

15. REGULATORY INFORMATION

International regulations All chemical substances in this HP product have been notified or are exempt from notification

> under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

HMIS ratings Health:

Flammability: 1 Physical hazard: 0

Health: 1 NFPA ratings

Flammability: 1 Instability:

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely No

hazardous substance

Section 311 hazardous

chemical

No

Immediate Hazard - No **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

16. OTHER INFORMATION

This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation Other information

(29 CFR 1910.1200).

Material name C8773 SERIES MSDS US



Issue date Aug 17 2005 11:57AM

Revision

Replaces sheet dated Aug 10 2005 3:57PM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name C8773 SERIES Creation date Sep 29, 2003